



1975

**ARITEKS**

FUNCTIONAL TECHNICAL FABRICS

Ariteks Technical Fabrics



**BUILDING**



**HOME**



**PROTECTION**



**MEDICAL**



**SPORT**



**TRANSPORT**



**GEOLOGY**



**PACKAGE**



**CLOTH**



**AGRICULTURE**



**ENVIRONMENT**



**MACHINE**




Ariteks, founded as a family owned business in 1975, is the leading textile manufacturer company both in fashion and technical textiles.

By continuously developing high-end technologies it provides solutions to end users in apparel, protective workwear, functional sport, medical wear as well as technical textiles in construction and transportation industries.

As the pioneer company in special dyeing methods like indigo, vat, space-dye, coating and laminating systems, Ariteks produces highest-quality fabrics both for international and domestic markets.

Ariteks uses clean and renewable energy resources. It consumes minimum amount of water by using continuous optimised systems.

Based in 14000m<sup>2</sup> with 12 separate in house R&D laboratories, the company spends 5% of its budget for research and developing future technologies. It focuses especially on 3rd generation solar cells on flexible fabrics and biosensing textiles.





1975

**ARITEKS**

FUNCTIONAL TECHNICAL FABRICS




**B  
U  
I  
L  
D  
I  
N  
G**

## CONTENT

- 1 Articulator**  
250 gr/m<sup>2</sup>, 92% Polyester 8% Elastane,  
Flexible, Tension Fabric  
       
- 2 ArFlexMembrane**  
900 gr/m<sup>2</sup>, 28% Polyester 2% Elastane 70% Polyurethane,  
Flexible Outdoor Membrane  
     
- 3 ArDigiPrint**  
250 gr/m<sup>2</sup>, 100% Polyester, Flexible Fabric for Digital Printing  
 
- 4 ArÇadır 520**  
520 gr/m<sup>2</sup>, 100% Cotton, Tent fabric  
   
- 5 ArGun 260**  
260 gr/m<sup>2</sup>, 100% Acrylic, All weather resistant solution dyed outdoor fabric  
 



1975  
**ARITEKS**  
FUNCTIONAL TECHNICAL FABRICS



E

M

O

E

# CONTENT


**1 ArDiLight**

350 gr/m<sup>2</sup>, 46% Polyester 4% Elastane 50% PVC,  
Stretch Ceiling Fabric





1975  
**ARITEKS**  
FUNCTIONAL TECHNICAL FABRICS



# PROTECTION

# CONTENT

<b>1</b>	<b>ArNeo</b> 150 gr/m <sup>2</sup> , 100% Polyester	
<b>2</b>	<b>ArNeo   Pro</b> 150 gr/m <sup>2</sup> , 100% Polyester	 
<b>3</b>	<b>ArNeo   Flame+Static Pro</b> 150 gr/m <sup>2</sup> , 99% Polyester 1% Carbon	  
<b>4</b>	<b>ArNeo   Eco</b> 120 gr/m <sup>2</sup> , 100% Polyester	
<b>5</b>	<b>ArNeo   Eco +R400</b> 120 gr/m <sup>2</sup> , 100% Polyester, Reflective Strips Laminated Knit Fabric	
<b>6</b>	<b>ArNeo   Color</b> 120 gr/m <sup>2</sup> , 100% Polyester, Warp Knit Fabric	
<b>7</b>	<b>ArNeo   File</b> 120 gr/m <sup>2</sup> , 100% Polyester	
<b>8</b>	<b>ArNeo   Color File</b> 120 gr/m <sup>2</sup> , 100% Polyester, Mesh Knit Fabric	
<b>9</b>	<b>ArNeo   Dirt Pro</b> 150 gr/m <sup>2</sup> , 100% Polyester	 
<b>10</b>	<b>ArNeo   Super Eco</b> 75 gr/m <sup>2</sup> , 100% Polyester, High Visible Knit Fabric	
<b>11</b>	<b>ArNeo   Super Eco +R50</b> 75 gr/m <sup>2</sup> , 100% Polyester, Brilliant Strips Laminated, High Visible Knit Fabric	
<b>12</b>	<b>ArNeo   Light</b> 70 gr/m <sup>2</sup> , 100% Polyester, High Visible Knit Fabric	
<b>13</b>	<b>ArNeo   Light +R50</b> 70 gr/m <sup>2</sup> , 100% Polyester, Brilliant Strips Laminated, High Visible Knit Fabric	
<b>14</b>	<b>ArNeo   Light +R400</b> 70 gr/m <sup>2</sup> , 100% Polyester, Reflective Strips Laminated, High Visible Knit Fabric	
<b>15</b>	<b>ArNeo   Color Light</b> 70 gr/m <sup>2</sup> , 100% Polyester, Knit Fabric	

# CONTENT

**1 ArShirtNeo** 220 gr/m<sup>2</sup>, 100% Cotton, Pique, High Visible Knit Fabric



## CONTENT

<b>1</b>	<b>ArShirt</b> 220 gr/m <sup>2</sup> , 100% Cotton, Pique, Vat Dyed Knit Fabric	
<b>2</b>	<b>ArShirt   Static Pro</b> 220 gr/m <sup>2</sup> , 97% Cotton 3% Carbon, Pique, Vat Dyed Knit Fabric	 
<b>3</b>	<b>ArShirt   Moda Pro</b> 220 gr/m <sup>2</sup> , 60% Modacrylic 38% Cotton 2% Carbon, Pique Knit Fabric	   
<b>4</b>	<b>ArSuprem</b> 220 gr/m <sup>2</sup> , 100% Cotton, Single Jersey, Vat Dyed Knit Fabric	
<b>5</b>	<b>ArSuprem   Static Pro</b> 220 gr/m <sup>2</sup> , 97% Cotton 3% Carbon, Single Jersey, Vat Dyed Knit Fabric	 
<b>6</b>	<b>ArSuprem   Moda Pro</b> 220 gr/m <sup>2</sup> , 60% Modacrylic 38% Cotton 2% Carbon, Jersey Knit Fabric	   

## CONTENT

<b>1</b>	<b>ArBir</b> 140 gr/m <sup>2</sup> , 100% Polyester, Woven Like Knit Fabric	 EN 20471
<b>2</b>	<b>ArBir   Su Itici</b> 140 gr/m <sup>2</sup> , 100% Polyester, Woven Like Knit Fabric	 EN 13034  EN 20471
<b>3</b>	<b>ArBir   Su Itici / Su Geçirmez</b> 160 gr/m <sup>2</sup> , 75% Polyester 25% Polyurethane, Woven Like Knit Fabric	 EN 343  EN 13034  EN 20471
<b>4</b>	<b>ArBir   200</b> 220 gr/m <sup>2</sup> , 100% Polyester, Woven Like Knit Fabric	 EN 20471

## CONTENT

<b>1</b>	<b>ArWoWear   T2 Soft</b> 245 gr/m <sup>2</sup> , 100% Cotton, 3/1S Twill Fabric	
<b>2</b>	<b>ArWoWear   T4 Soft</b> 200 gr/m <sup>2</sup> , 65% Polyester 35% Cotton, 2/1S Twill Fabric	
<b>3</b>	<b>ArWoWear   T5 Soft</b> 245 gr/m <sup>2</sup> , 65% Polyester 35% Cotton, 3/1S Twill Fabric	
<b>4</b>	<b>ArWoWear   T6 Soft</b> 200 gr/m <sup>2</sup> , 60% Cotton 40% Polyester, 2/1S Twill Fabric	
<b>5</b>	<b>ArWoWear   T7 Soft</b> 245 gr/m <sup>2</sup> , 60% Cotton 40% Polyester, 3/1S Twill Fabric	
<b>6</b>	<b>ArWoWear   T11 Soft</b> 390 gr/m <sup>2</sup> , 100% Cotton, 3/1S Twill Fabric	

## CONTENT

<b>1</b>	<b>ArWoWear   T2 Static Pro</b> 245 gr/m <sup>2</sup> , 99% Cotton 1% Carbon, 3/1S Twill Fabric	 EN 1149-5
<b>2</b>	<b>ArWoWear   T4 Static Pro</b> 200 gr/m <sup>2</sup> , 64% Polyester 35% Cotton 1% Carbon, 2/1S Twill Fabric	 EN 1149-5
<b>3</b>	<b>ArWoWear   T5 Static Pro</b> 245 gr/m <sup>2</sup> , 64% Polyester 35% Cotton 1% Carbon, 3/1S Twill Fabric	 EN 1149-5
<b>4</b>	<b>ArWoWear   T11 Static Pro</b> 360 gr/m <sup>2</sup> , 99% Cotton 1% Carbon, 3/1S Twill Fabric	 EN 1149-5
<b>5</b>	<b>ArWoWear   T20 Static Pro</b> 260 gr/m <sup>2</sup> , 79% Cotton 20% Polyester 1% Carbon, 3/1S Twill Fabric	 EN 1149-5
<b>6</b>	<b>ArWoWear   T21 Static Pro</b> 330 gr/m <sup>2</sup> , 79% Cotton 20% Polyester 1% Carbon, 3/1S Twill Fabric	 EN 1149-5

## CONTENT

<b>1</b>	<b>ArWoWear   T2 Chem Pro</b> 260 gr/m <sup>2</sup> , 100% Cotton, VAT Dyed, 3/1S Twill Fabric	
<b>2</b>	<b>ArWoWear   T4 Chem Pro</b> 200 gr/m <sup>2</sup> , 65% Polyester 35% Cotton, VAT Dyed, 2/1S Twill Fabric	
<b>3</b>	<b>ArWoWear   T5 Chem Pro</b> 245 gr/m <sup>2</sup> , 65% Polyester 35% Cotton, VAT Dyed, 3/1S Twill Fabric	
<b>4</b>	<b>ArWoWear   T6 Chem Pro</b> 200 gr/m <sup>2</sup> , 60% Cotton 40% Polyester, VAT Dyed, 2/1S Twill Fabric	
<b>5</b>	<b>ArWoWear   T7 Chem Pro</b> 245 gr/m <sup>2</sup> , 60% Cotton 40% Polyester, VAT Dyed, 3/1S Twill Fabric	
<b>6</b>	<b>ArWoWear   T11 Chem Pro</b> 360 gr/m <sup>2</sup> , 100% Cotton, Vat Dyed, 3/1S Twill Fabric	

## CONTENT

<b>1</b>	<b>ArWoWear   T1 Flame Pro</b> 220 gr/m <sup>2</sup> , 100% Cotton, VAT Dyed, 2/1S Twill Fabric	
<b>2</b>	<b>ArWoWear   T2 Flame Pro</b> 260 gr/m <sup>2</sup> , 100% Cotton, VAT Dyed, 3/1S Twill Fabric	  
<b>3</b>	<b>ArWoWear   T11 Flame Pro</b> 360 gr/m <sup>2</sup> , 100% Cotton, VAT Dyed, 3/1S Twill Fabric	  
<b>4</b>	<b>ArWoWear   T12 Flame Pro</b> 450 gr/m <sup>2</sup> , 100% Cotton, VAT Dyed, 4/1 Satin Fabric	  
<b>5</b>	<b>ArWoWear   T13 Flame Pro</b> 520 gr/m <sup>2</sup> , 100% Cotton, VAT Dyed, 5/2 Satin Fabric	  
<b>6</b>	<b>ArWoWear   T20 Flame Pro</b> 260 gr/m <sup>2</sup> , 80% Cotton 20% Polyester, VAT Dyed, 3/1S Twill Fabric	  
<b>7</b>	<b>ArWoWear   T21 Flame Pro</b> 330 gr/m <sup>2</sup> , 80% Cotton 20% Polyester, VAT Dyed, 3/1S Twill Fabric	  
<b>8</b>	<b>ArWoWear   T30 Flame Pro</b> 260 gr/m <sup>2</sup> , 90% Cotton 10% Polyamide, VAT Dyed, 3/1S Twill Fabric	  
<b>9</b>	<b>ArWoWear   T31 Flame Pro</b> 330 gr/m <sup>2</sup> , 90% Cotton 10% Polyamide, VAT Dyed, 3/1S Twill Fabric	  

## CONTENT

<b>1</b>	<b>ArWoWear   T0 Flame+Arc Pro</b> 150 gr/m <sup>2</sup> , 99% Cotton 1% Carbon, VAT Dyed, 1/1 Plain Fabric	 
<b>2</b>	<b>ArWoWear   T1 Flame+Arc Pro</b> 220 gr/m <sup>2</sup> , 99% Cotton 1% Carbon, VAT Dyed, 2/1S Twill Fabric	 
<b>3</b>	<b>ArWoWear   T2 Flame+Arc Pro</b> 260 gr/m <sup>2</sup> , 99% Cotton 1% Carbon, VAT Dyed, 3/1S Twill Fabric	   
<b>4</b>	<b>ArWoWear   T11 Flame+Arc Pro</b> 360 gr/m <sup>2</sup> , 99% Cotton 1% Carbon, VAT Dyed, 3/1S Twill Fabric	   
<b>5</b>	<b>ArWoWear   T20 Flame+Arc Pro</b> 260 gr/m <sup>2</sup> , 79% Cotton 20% Polyester 1% Carbon, VAT Dyed, 3/1S Twill Fabric	   
<b>6</b>	<b>ArWoWear   T21 Flame+Arc Pro</b> 330 gr/m <sup>2</sup> , 79% Cotton 20% Polyester 1% Carbon, VAT Dyed, 3/1S Twill Fabric	   
<b>7</b>	<b>ArWoWear   T30 Flame+Arc Pro</b> 260 gr/m <sup>2</sup> , 89% Cotton 10% Polyamide 1% Carbon, VAT Dyed, 3/1S Twill Fabric	   
<b>8</b>	<b>ArWoWear   T31 Flame+Arc Pro</b> 330 gr/m <sup>2</sup> , 89% Cotton 10% Polyamide 1% Carbon, VAT Dyed, 3/1S Twill Fabric	   

## CONTENT

<b>1</b>	<b>Aramid   D0 150</b>	  
	150 gr/m <sup>2</sup> , 93% m-Aramid 5% p-Aramid 2% Carbon, 1/1 Plain Fabric	
<b>2</b>	<b>Aramid   D1 210</b>	     
	210 gr/m <sup>2</sup> , 93% m-Aramid 5% p-Aramid 2% Carbon, 2/1S Twill Fabric	
<b>3</b>	<b>Aramid   D2 260</b>	     
	260 gr/m <sup>2</sup> , 93% m-Aramid 5% p-Aramid 2% Carbon, 3/1S Twill Fabric	
<b>4</b>	<b>Aramid   D3 200</b>	    
	200 gr/m <sup>2</sup> , 75% m-Aramid 23% p-Aramid 2% Carbon, 2/1S Twill Fabric	

## CONTENT

### 1 **ArWoWear | 260 Moda Pro**

260 gr/m<sup>2</sup>, 60% Modacrylic 38% Cotton  
2% Carbon, 3/1S Twill Fabric



### 2 **ArWoWear | 330 Moda Pro**

330 gr/m<sup>2</sup>, 60% Modacrylic 38% Cotton  
2% Carbon, 3/1S Twill Fabric



## CONTENT

<b>1</b>	<b>Arox   T1 Static Pro</b> 110 gr/m <sup>2</sup> , 99% Polyester 1% Carbon, 3/2 S Twill Fabric	 
<b>2</b>	<b>Arox   T2 Static Pro</b> 160 gr/m <sup>2</sup> , 99% Polyester 1% Carbon, 2/1 S Twill Fabric	 
<b>3</b>	<b>Arox   T2 WR</b> 160 gr/m <sup>2</sup> , 100% Polyester, 1/1 Plain Woven Fabric	 
<b>4</b>	<b>Arox   T4 WR/WP</b> 210 gr/m <sup>2</sup> , 75% Polyester 25% Polyurethane, Breathable, 1/1 Plain Woven Fabric	  
<b>5</b>	<b>Arox   T5 Multi</b> 250 gr/m <sup>2</sup> , 75% Polyester 23% Polyurethane 2% Carbon, Breathable, 1/1 Plain Woven Fabric	    

## CONTENT

- 1 ArGiyim | 245**  
245 gr/m<sup>2</sup>, 80% Polyester 20% Cotton  
3/1 S Twill Woven Fabric  

- 2 ArGiyim | 290**  
290 gr/m<sup>2</sup>, 80% Polyester 20% Cotton  
4/1 Satin Woven Fabric  

- 3 ArGiyim | 245 Static Pro**  
245 gr/m<sup>2</sup>, 79% Polyester 20% Cotton 1% Carbon  
3/1 S Twill Woven Fabric  

- 4 ArGiyim | Bird Eye**  
180 gr/m<sup>2</sup>, 50% Polyester 50% Cotton, Bird Eye Knit Fabric  

- 5 ArGiyim | Sultan**  
330 gr/m<sup>2</sup>, 49% Polyester 50% Cotton 1% Carbon  
4/1 Satin Woven Fabric  


## CONTENT

1

### ArGiyim İç

180 gr/m<sup>2</sup>, 50% Polyester 50% Cotton, Needle Drop Knit Fabric



## CONTENT

### 1 **Aramid Vis 150**

150 gr/m<sup>2</sup>, 53% Viscose Fr 40% m-Aramid 5% p-Aramid  
2% Carbon, 1/1 Plain Fabric



### 2 **Aramid Vis 250**

250 gr/m<sup>2</sup>, 53% Viscose Fr 40% m-Aramid 5% p-Aramid  
2% Carbon, 3/1S Twill Fabric



## CONTENT

<b>1</b>	<b>ArSuprem Aramid Vis</b> 220 gr/m <sup>2</sup> , 53% Viscose Fr 40% m-Aramid 5% p-Aramid 2% Carbon, Jersey Knit Fabric	  
<b>2</b>	<b>ArShirt Aramid Vis</b> 220 gr/m <sup>2</sup> , 53% Viscose Fr 40% m-Aramid 5% p-Aramid 2% Carbon, Pique Knit Fabric	  
<b>3</b>	<b>Ar3iplik Aramid Vis</b> 300 gr/m <sup>2</sup> , 53% Viscose Fr 40% m-Aramid 5% p-Aramid 2% Carbon, Fleece Knit Fabric	  

## CONTENT

### 1 **Aramid D1 210 Denim**

210 gr/m<sup>2</sup>, 93% m-Aramid 5% p-Aramid  
2% Carbon, Denim Fabric



### 2 **Aramid D2 260 EI**

260 gr/m<sup>2</sup>, 88% m-Aramid 5% p-Aramid 2% Carbon  
5% Elastane, 3/1S Twill Fabric



# CONTENT

**1** **Aramid D50 Pike**

220 gr/m<sup>2</sup>, 93% m-Aramid 5% p-Aramid 2% Carbon,  
Pique Knit Fabric



## CONTENT

### 1 **ArWoWear 330 Moda Pro El**

330 gr/m<sup>2</sup>, 58% Modacrylic 35% Cotton 2% Carbon  
5% Elastane, 3/1S Twill Fabric



### 2 **Ar3Iplik Moda Pro**

300 gr/m<sup>2</sup>, 60% Modacrylic 38% Cotton 2% Carbon,  
Fleece Knit Fabric



# CONTENT

## 1 **ArD3E3**

350 gr/m<sup>2</sup>, 54% Viscose Fr 20% Polyamide 6.6  
20% Wool 5% p-aramid 1% Carbon, Satin Fabric



## CONTENT

- |          |   |   |
|----------|---|---|
| <b>1</b> | <b>ArBo</b><br>200 gr/m <sup>2</sup> , 58% p-Aramid 40% Pbo 2% Carbon, Plain Fabric   |     |
| <b>2</b> | <b>ArBo Dark</b><br>200 gr/m <sup>2</sup> , 58% p-Aramid 40% Pbo 2% Carbon, Plain Fabric                                      |     |
| <b>3</b> | <b>Aramid D5 180 Rb</b><br>180 gr/m <sup>2</sup> , 46% meta Aramid 50% para Aramid 2% Pbo<br>2% Carbon , Ripstop-twill Fabric |     |
| <b>4</b> | <b>ArBo Knit</b><br>250 gr/m <sup>2</sup> , 58% p-Aramid 40% Pbo 2% Carbon, Pique Fabric                                      |     |

# CONTENT

<b>1</b>	<b>ArWoWear T4 EMK</b> 200 gr/m <sup>2</sup> , 55% Polyester 25% Cotton 20% Stainless Steel, 2/1 S Twill Fabric	 
<b>2</b>	<b>ArShirt EMK</b> 220 gr/m <sup>2</sup> , 80% Cotton 20% Stainless Steel, Pique knit fabric	 



1975  
**ARITEKS**  
FUNCTIONAL TECHNICAL FABRICS



**W  
E  
D  
I  
G  
A  
L**

# CONTENT

**1 ArMedi**  
180 gr/m<sup>2</sup>, 75% Polyester 25% Viscose, 1/1 Plain Woven Fabric



# CONTENT

<b>1</b>	<b>Arox   T2 WR / Antibac</b>	  
	160 gr/m <sup>2</sup> , 97% Polyester 3% Silver, 2/1 S Twill Fabric	
<b>2</b>	<b>ArWoWear   T4 Antibac</b>	  
	200 gr/m <sup>2</sup> , 63% Polyester 34% Cotton 3% Silver, 2/1 S Twill Fabric	

## CONTENT

### 1 **Arox T0 WR/WP**

70 gr/m<sup>2</sup>, 75% Polyester 25% Polyurethane, 1/1 Plain Woven Fabric



### 2 **Arox T1 WR/WP**

120 gr/m<sup>2</sup>, 75% Polyester 25% Polyurethane, 1/1 Plain Woven Fabric



# CONTENT

**1 ArPower Knit P**  
350 gr/m<sup>2</sup>, 70% Polyester 22% Polyamide 8% Elastane, Elastic Knit Fabric

EN 4920    Antibacterial    EN 14683

**2 ArPower Knit**  
400 gr/m<sup>2</sup>, 45% Polyester 35% Viscose 22% Polyamide 8% Elastane,  
Elastic Knit Fabric

EN 4920    Antibacterial    EN 14683

# CONTENT

**1 ArWoWear T0 Soft**

130 gr/m<sup>2</sup>, 80% Cotton 20% Polyester, 2/1S Twill Fabric



# CONTENT

## 1 ArShirt Antiviral

220 gr/m<sup>2</sup>, 99% Polyester 1% Silver, Pique Knit Fabric





1975  
**ARITEKS**  
FUNCTIONAL TECHNICAL FABRICS



T

R

O

P

S

## CONTENT

- 1 Arof**  
220 gr/m<sup>2</sup>, 100% Polyester, Warp Knit Fabric
- 2 Arof | File**  
55 gr/m<sup>2</sup>, 100% Polyester, 3\*1 Mesh Fabric
- 3 Arof | Mesh 2\*2**  
55 gr/m<sup>2</sup>, 100% Polyester, 2\*2 Mesh Fabric

# CONTENT

**1 ArSport**  
140 gr/m2, 100% Polyester, Interlock Knit Fabric

**2 ArSport X**  
170 gr/m2, 100% Polyester, Bird Eye Knit Fabric



## CONTENT

**1 ArMoto**  
240 gr/m<sup>2</sup>, 100% Polyester, Wind Jacket Fabric

**2 ArMoto Dura**  
240 gr/m<sup>2</sup>, 100% Pa 6.6, Warp Knit Fabric

## CONTENT

**1 ArHard Mesh**  
420 gr/m2, 100% Polyester, Mesh Fabric

**2 ArHard Mesh 300**  
300 gr/m2, 100% Polyester, Mesh Fabric

## CONTENT

- 1 ArSport Dry** .....  
140 gr/m<sup>2</sup>, 100% Polyester Fast Dry, Interlock Knit Fabric  
 
- 2 ArSport El** .....  
240 gr/m<sup>2</sup>, 92% Polyester 8% Elastane Interlock Knit Fabric  

- 3 ArSport WP/Flame Pro** .....  
160 gr/m<sup>2</sup>, 75% Polyester 25% Polyurethane, Breathable, Interlock Knit Fabric  
 

## CONTENT

- 1 ArGiyim 360 Denim**  
360 gr/m<sup>2</sup>, 50% Polyester 50% Cotton, Denim Woven Fabric
- 2 ArGiyim L**  
220 gr/m<sup>2</sup>, 70% Cotton 22% Polyester 8% Elastane, 2/1S Twill Fabric
- 3 ArWoWear T5 Soft El**  
245 gr/m<sup>2</sup>, 65% Polyester 30% Cotton 5% El, 3/1S Twill Fabric
- 4 AriRipstop**  
245 gr/m<sup>2</sup>, 100% AriPam, Ripstop Woven Fabric
- 5 AriRipstop El**  
210 gr/m<sup>2</sup>, 97% AriPam 3% Elastane, Ripstop Woven Fabric



1975  
**ARITEKS**  
FUNCTIONAL TECHNICAL FABRICS



# TRAWNSPORT

## CONTENT

- 1 ArSeat**  
150 gr/m<sup>2</sup>, 100% Polyester, Pique Knit Fabric
- 2 ArSeat Eco**  
120 gr/m<sup>2</sup>, 100% Polyester, Pique Knit Fabric
- 3 ArSeat Touch**  
150 gr/m<sup>2</sup>, 100% Polyester, Microalcantara one side fleece knit fabric

# CONTENT

<b>1</b>	<b>ArAir   Mesh AA 250</b>	250 gr/m <sup>2</sup> , 100% Polyester, Air Mesh Fabric
<b>2</b>	<b>ArAir   Mesh AA 150</b>	150 gr/m <sup>2</sup> , 100% Polyester, Air Mesh Fabric
<b>3</b>	<b>ArAir   Mesh BB</b>	250 gr/m <sup>2</sup> , 100% Polyester, Hard Air Mesh Fabric
<b>4</b>	<b>ArAir   Mesh Bond</b>	230 gr/m <sup>2</sup> , 100% Polyester, Air Mesh Open Structure Fabric

## CONTENT

- 1** **ArBayrak**  
120 gr/m2, 100% Polyester, Flag Fabric



1975  
**ARITEKS**  
FUNCTIONAL TECHNICAL FABRICS



**P  
A  
C  
K  
A  
G  
E**

## CONTENT

**1 ArDura 500**  
240 gr/m<sup>2</sup>, 100% Pa 6.6



**2 ArDura 1000**  
350 gr/m<sup>2</sup>, 100% Pa 6.6



## CONTENT


<b>1</b>	<b>ArDura 500 C</b> 215 gr/m <sup>2</sup> , 100% Pa 6.6, Woven Fabric	 EN 4920	 Antibacterial		
<b>2</b>	<b>ArDura 500 C Neo</b> 215 gr/m <sup>2</sup> , 100% Pa 6.6, Woven Fabric	 EN 20471	 EN 4920	 Antibacterial	
<b>3</b>	<b>ArDura 500 C Rb</b> 215 gr/m <sup>2</sup> , 100% Pa 6.6, Ripstop Woven Fabric	 EN 4920	 Antibacterial		
<b>4</b>	<b>ArDura 500 Kirik Dimi</b> 215 gr/m <sup>2</sup> , 100% Pa 6.6, Cross Twill Woven Fabric	 EN 4920	 Antibacterial		
<b>5</b>	<b>ArDura 500 FR</b> 240 gr/m <sup>2</sup> , 95% Pa 6.6 5%Pu, Woven Fabric	 EN 343	 EN 14116	 EN 4920	 Antibacterial
<b>6</b>	<b>ArDura 1000 C</b> 300 gr/m <sup>2</sup> , 100% Pa 6.6, Woven Fabric	 EN 4920	 Antibacterial		
<b>7</b>	<b>ArDura 1000 C Rb</b> 300 gr/m <sup>2</sup> , 100% Pa 6.6, Ripstop Woven Fabric	 EN 4920	 Antibacterial		
<b>8</b>	<b>ArDura 1000 Kirik Dimi</b> 300 gr/m <sup>2</sup> , 100% Pa 6.6, Cross Twill Woven Fabric	 EN 4920	 Antibacterial		
<b>9</b>	<b>ArDura 1000 FR</b> 350 gr/m <sup>2</sup> , 95% Pa 6.6 5%Pu, Woven Fabric	 EN 343	 EN 14116	 EN 4920	 Antibacterial
<b>9</b>	<b>ArGiyim Dura</b> 245 gr/m <sup>2</sup> , 50% Pa 6.6 50% Cotton, Woven Fabric	 EN 20471	 EN 4920	 Antibacterial	

## CONTENT

<b>1</b>	<b>ArGiyim Knit Knife Pro</b> 250 gr/m <sup>2</sup> , 100% p-Aramid, Jersey Knit Fabric	
<b>2</b>	<b>ArGiyim Denim Kursun</b> 290 gr/m <sup>2</sup> , 50% HPPE 50% Polyester, Denim Woven Fabric	 
<b>3</b>	<b>ArGiyim Denim Kursun CK</b> 620 gr/m <sup>2</sup> , 50% HPPE 50% Polyester, Double Denim Woven Fabric	 
<b>4</b>	<b>ArDura 500 CG</b> 350 gr/m <sup>2</sup> , 100% Pa 6.6, Herringbone Woven Fabric	 



1975  
**ARITEKS**  
FUNCTIONAL TECHNICAL FABRICS



# CONTENT

**1 ArAstar** .....  
60 gr/m<sup>2</sup>, 100% Polyester, 1/1 Plain Woven Fabric

**2 ArSotina** .....  
140 gr/m<sup>2</sup>, 100% Polyester, 1/1 Plain Woven Fabric

# CONTENT

**1 ArPo** 290 gr/m<sup>2</sup>, 100% Polyester polar knit fabric

## CONTENT


<b>1</b>	<b>ArDoku</b>	300 gr/m <sup>2</sup> , 84% Polyester 10% Pu 6% Elastane, 3 layer laminated, Softshell Fabric		
<b>2</b>	<b>ArDolu</b>	210 gr/m <sup>2</sup> , 95% Polyester 5% Elastane, 3 layer laminated, Bonded Fabric		

## CONTENT

- 1 Ari Gabardin 245**  
245 gr/m<sup>2</sup>, 100% AriPam, 3/1 S Twill Woven Fabric 
- 2 Ari Gabardin 7/7**  
390 gr/m<sup>2</sup>, 100% AriPam, 3/1 S Twill Woven Fabric 
- 3 Ari Bez**  
180 gr/m<sup>2</sup>, 100% AriPam, 1/1 Plain Woven Fabric 
- 4 Ari Penye**  
140 gr/m<sup>2</sup>, 100% AriPam, Jersey Knit Fabric 
- 5 Ari Pike**  
210 gr/m<sup>2</sup>, 100% AriPam, Uv protective, Pique Knit Fabric 



1975  
**ARITEKS**  
FUNCTIONAL TECHNICAL FABRICS



**WAGHMANE**

# CONTENT

**1 ArClean 250** 250 gr/m<sup>2</sup>, 80% Polyester 20% Polyamide, Microfiber warp knit fabric

Wash Effect Fabrics (Antique)



Indigo Dyed Knit Fabrics



Cotton Fabrics & Mixtures



Viscose/Vortex/Tencel Fabrics



Velvet Fabrics



Functional Technical Textiles



Modal Fabrics & Mixtures



Linen Fabrics



Metallic Coated Knit Fabrics



Ribs Fabrics




Acrylic Polyamide Acetate Fabrics



Jacquard Fabrics



Mercerised Fabrics



Fleece and Futter Fabrics



Interlock Fabrics



100% Cotton Fluorescent Fabrics



# Apparel Knit Fabrics

# Fashion Fabrics



# Technical Fabrics

  <b>BUILDING</b>	  <b>HOME</b>	  <b>PROTECTION</b>	  <b>MEDICAL</b>	  <b>SPORT</b>	  <b>TRANSPORT</b>
  <b>GEOLOGY</b>	  <b>PACKAGE</b>	  <b>CLOTH</b>	  <b>AGRICULTURE</b>	  <b>ENVIRONMENT</b>	  <b>MACHINE</b>

**Ariteks Fabric Factory**  
 Address: Velimese OSB Mah.210.Sokak,  
 No:9/8 59930, Ergene Tekirdag/Turkey  
 Phone: +90 282 676 41 90  
 Fax: +90 282 676 46 13  
 E-Mail: support@aritekinfo.com  
 Web: www.aritek.net