



245 gr/m<sup>2</sup>, 65% Polyester  
35% Cotton, VAT Dyed,  
Chemical Resistant,  
3/1S Twill Fabric



Sample



ArWoWear T5 Chem Pro -  
4679 OrangeArWoWear T5 Chem Pro -  
4680 Dark GreenArWoWear T5 Chem Pro -  
4681 RedArWoWear T5 Chem Pro -  
4683 Dark BlueArWoWear T5 Chem Pro -  
4684 BlackArWoWear T5 Chem Pro -  
4685 NavyArWoWear T5 Chem Pro -  
4687 Grey

## Description

ArWoWear T5 Chem Pro is light weight 245 gr/m<sup>2</sup>, vat dyed, chemical resistant, 65% polyester 35% cotton merserized workwear fabric. It is usefull for outdoor summer hard working conditions.

Water and oil repellent (TS EN ISO 4920) function.

Resistant to most industrial chemicals (EN ISO 13034).

## Technical Parameters

Name	Values	Standards
Fiber	65% Polyester (PES) 35% Cotton (CO)	EN ISO 2076
Yarn	Warp:14/1Ne; Weft:14/1Ne	EN ISO 2060
Weight	245 ±5 gr/m <sup>2</sup>	EN ISO 3081
Width	1600 ±20 mm	EN ISO 3932
Tensile Strength	Warp>1000N; Weft>800N	EN ISO 13934-1
Tear Strength	Warp>20N; Weft>15N	EN ISO 13937-2
Dimensional Change	-3%<Length<+3%;-3%<Width<+3%	EN ISO 5077
Rubbing Fastness	4-5	EN ISO 105 X12
Perspiration Fastness	4-5	EN ISO 105 E04
Washing Fastness	4-5	EN ISO 105 C06
Dry Cleaning Fastness	4-5	EN ISO 105 D01
Hypochlorite Fastness	4-5	EN ISO 105 N01
Peroxide Fastness	4-5	EN ISO 105 N02
Hot Press Fastness	4-5	EN ISO 105 X11
Light Fastness	6-7	EN ISO 105 B02
Perspiration Light Fast.	4-5	EN ISO 105 B07
pH	6.0	EN ISO 3071
Azo Test	No Azo Colorants.	EN ISO 14362-1
Application	Coveralls	
Quality Management	Done	ISO 9001
Chemical Resistant	Yes	EN ISO 13034